CineTension2 Series

- Tab-Tensioned Electric Screen
- Premium Grade Tension Electric Screens

Total Control
- Standard Infrared (IR) remote control with extended operational range and Optional Elite ZR800D Universal Learning Remote Control
- Standard Radio Frequency (RF) remote control-operational range of 100' does not require line of sight operation
- Low Voltage 3-way wall switch or extended IR “eye” sensor provides additional control options
- Built-In 5-12 Volt Trigger synchronizes screen drop/rise with projectors power cycle
- Optional Wireless 5-12V trigger available

Premium Screen Material
- CineWhite™ PVC tension material provides uniform flatness in a versatile material making it a favorite for consumers and installers alike
- 160˚ Wide Viewing Angle with 1.1 Gain for either Home Cinema or Commercial Presentations
- All CineTension2 Series Screen surfaces are seamless regardless of size
- AcousticPro™ Acoustically transparent fabrics are available with specific models

Easy Installation
- Alumiumn Housing with Enamel Coating is moisture resistant
- Floating brackets is made for versatile wall & ceiling installations
- Tubular motor provides superior timing and lift capacity for sizes up to 350" (16:9) Adjustable vertical limit switch regulates screen drop/rise settings
- Optional In-Ceiling Trim Kits for all sizes available
- Shipped fully assembled ready to plug & play with installation kit containing bracket, wall screws and bubble level

Our Commitment-2 Year Manufacturer’s Warranty which is double the industry standard


Standard IR & RF remotes and built-In Infrared & Radio Frequency Receivers support your Screens On-wall or In-Ceiling application for a clean appearance. A Low Voltage Controller (LVC) is included with 5-12V trigger port (RJ45) that can be connected to your projector Trigger port. This enables synchronization between the drop/rise cycle of your screen and the power cycle of the projector. You could extend this port using a standard RJ45 connector and CAT-5 cable to anywhere in the room. Or mount your Wall-switch like a regular light Switch.

Extra Eye IR Receiver can be extended when screen is recessed into ceiling and can still be controlled with your IR remote or Universal Learning Remote Control.

Optional Control Accessories:
- Wireless (RF) 5-12V Trigger (Model # ZSP-TR01)
- 50 feet CAT-5 cable for 5-12 volt trigger (Model # ZSP-12V-50B)



CineGrey™ is the best screen material for those using a low contrast ratio (LCD or DLP) projector for home theater and need to increase contrast ratio for enhanced black levels. We suggest you use CineWhite if you have a newer 2007-2008 model DLP or LCD projector.



The Elite AcousticPro™ Woven Acoustically Transparent Screen is your best choice for use with high quality in-wall audio. The Square mesh pattern has only a 10% light loss, and True Color Rendition on coated fabric ensures both audio and video quality with each presentation.

CI-Elite PrimeVision CineTension3 Series for Custom Install
CineTension2 Series, Tension Electric/Motorized Screen

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	Ship via UPS or FedEx	Net Weight (lbs)	Net Weight (kg)	Gain	Screen Material	Top Black Mask	Bottom Black Masking (in.)
TE84VG2	84" (4:3)	50.4	67.2	128.0	170.7	Yes	27.6	12.5	1.8	PowerGain	6"(15.3cm)	2"(5.1cm)
TE92VG2	92" (4"3)	55.0	73.3	139.7	186.2	Yes	29.1	13.2	1.8	PowerGain	6"(15.3cm)	2"(5.1cm)
TE100VG2	100" (4:3)	60.0	80.0	152.4	203.2	Yes	43.0	19.5	1.8	PowerGain	6"(15.3cm)	2"(5.1cm)
TE120VG2	120" (4:3)	72.0	96.0	182.9	243.8	No	47.8	21.7	1.8	PowerGain	4"(10.2cm)	2"(5.1cm)
TE84VW2	84" (4:3)	50.4	67.2	128.0	170.7	Yes	27.6	12.5	1.1	CineWhite	6"(15.3cm)	2"(5.1cm)
TE84VW2-E30	84" (4:3)	50.4	67.2	128.0	170.7	Yes	27.6	12.5	1.1	CineWhite	30"(76.2cm)	2"(5.1cm)
TE92VW2	92" (4:3)	55.0	73.3	139.7	186.2	Yes	29.1	13.2	1.1	CineWhite	6"(15.3cm)	2"(5.1cm)
TE100VW2	100" (4:3)	60.0	80.0	152.4	203.2	Yes	43.0	19.5	1.1	CineWhite	6"(15.3cm)	2"(5.1cm)
TE120VW2	120" (4:3)	72.0	96.0	182.9	243.8	No	47.8	21.7	1.1	CineWhite	4"(10.2cm)	2"(5.1cm)
TE135VW2	135" (4:3)	81.0	108.0	205.7	274.3	No	51.5	23.4	1.1	CineWhite	4"(10.2cm)	2"(5.1cm)
TE150VW2*	150" (4:3)*	90.0	120.0	228.6	304.8	No	56.4	25.6	1.1	CineWhite	4"(10.2cm)	2"(5.1cm)
TE84HC2	84" (16:9)	41.2	73.2	104.6	185.9	Yes	27.0	12.3	1.0	CineGrey	6"(15.3cm)	2"(5.1cm)
TE92HC2	92" (16:9)	45.1	80.2	114.6	203.7	Yes	42.6	19.3	1.0	CineGrey	6"(15.3cm)	2"(5.1cm)
TE100HC2	100" (16:9)	49.1	87.2	124.7	221.5	Yes	45.9	20.8	1.0	CineGrey	6"(15.3cm)	2"(5.1cm)
TE106HC2	106" (16:9)	52.0	92.4	132.1	234.7	No	47.8	21.7	1.0	CineGrey	6"(15.3cm)	2"(5.1cm)
TE120HC2	121" (16:9)	58.9	104.6	149.6	265.7	No	52.7	23.9	1.0	CineGrey	4"(10.2cm)	2"(5.1cm)
TE135HC2	135" (16:9)	66.2	117.7	168.1	299.0	No	52.9	24.0	1.0	CineGrey	4"(10.2cm)	2"(5.1cm)
TE150HC2	150" (16:9)	73.6	130.7	186.9	332.0	No	58.4	26.5	1.0	CineGrey	4"(10.2cm)	2"(5.1cm)
TE84HW2	84" (16:9)	41.2	73.2	104.6	185.9	Yes	27.0	12.3	1.1	CineWhite	6"(15.3cm)	2"(5.1cm)
TE84HW2-E30	84" (16:9)	41.2	73.2	104.6	185.9	Yes	27.0	12.3	1.1	CineWhite	30"(76.2cm)	2"(5.1cm)
TE92HW2	92" (16:9)	45.1	80.2	114.6	203.7	Yes	42.6	19.3	1.1	CineWhite	6"(15.3cm)	2"(5.1cm)
TE100HW2	100" (16:9)	49.0	87.2	124.5	221.5	Yes	45.9	20.8	1.1	CineWhite	6"(15.3cm)	2"(5.1cm)
TE100HW2-E24	100" (16:9)	49.0	87.2	124.5	221.5	Yes	45.9	20.8	1.1	CineWhite	24"(61cm)	2"(5.1cm)
TE106HW2	106" (16:9)	52.0	92.4	132.1	234.7	No	47.8	21.7	1.1	CineWhite	6"(15.3cm)	2"(5.1cm)
TE106HW2-E24	106" (16:9)	52.0	92.4	132.1	234.7	No	47.8	21.7	1.1	CineWhite	24"(61cm)	2"(5.1cm)
TE110HW2	110" (16:9)	54.0	96.0	137.2	243.8	No	47.0	21.3	1.1	CineWhite	6"(15.3cm)	2"(5.1cm)
TE110HW2-E24	110" (16:9)	54.0	96.0	137.2	243.8	No	47.2	21.4	1.1	CineWhite	24"(61cm)	2"(5.1cm)
TE120HW2	121" (16:9)	58.9	104.6	149.6	265.7	No	52.7	23.9	1.1	CineWhite	4"(10.2cm)	2"(5.1cm)
TE120HW2-E20	121" (16:9)	58.9	104.6	149.6	265.7	No	52.7	23.9	1.1	CineWhite	20"(51cm)	2"(5.1cm)
TE135HW2	135" (16:9)	66.2	117.7	168.1	299.0	No	52.9	24.0	1.1	CineWhite	4"(10.2cm)	2"(5.1cm)
TE135HW2-E12	135" (16:9)	66.2	117.7	168.1	299.0	No	52.9	24.0	1.1	CineWhite	12"(30.5cm)	2"(5.1cm)
TE150HW2*	150" (16:9)*	73.5	130.7	186.7	332.0	No	58.4	26.5	1.1	CineWhite	4"(10.2cm)	2"(5.1cm)
TE84HG2	84" (16:9)	41.2	73.2	104.6	185.9	Yes	27.0	12.3	1.8	PowerGain	6"(15.3cm)	2"(5.1cm)
TE92HG2	92" (16:9)	45.1	80.2	114.6	203.7	Yes	42.6	19.3	1.8	PowerGain	6"(15.3cm)	2"(5.1cm)
TE100HG2	100" (16:9)	49.0	87.2	124.5	221.5	Yes	45.9	20.8	1.8	PowerGain	6"(15.3cm)	2"(5.1cm)
TE120HG2	121" (16:9)	58.8	104.6	149.4	265.7	No	52.7	23.9	1.8	PowerGain	4"(10.2cm)	2"(5.1cm)
TE135HG2	135" (16:9)	66.2	117.7	168.1	299.0	No	52.9	24.0	1.8	PowerGain	4"(10.2cm)	2"(5.1cm)
TE150HG2*	150" (16:9)*	73.5	130.7	186.7	332.0	No	58.4	26.5	1.8	PowerGain	4"(10.2cm)	2"(5.1cm)
TE85C-E30	85" (2.35:1)	33.0	77.6	83.8	197.0				1.1	CineWhite		
TE96C-E24	96" (2.35:1)	37.5	88.1	95.3	223.8				1.1	CineWhite		
TE103C-E24	103" (2.35:1)	40.5	95.2	102.9	241.7	Please visit www.elitescreens.com			1.1	CineWhite	Please visit www.elitescreens.com	
TE115C-E24	115" (2.35:1)	45.1	106.0	114.6	269.2				1.1	CineWhite		
TE125C-E20	125" (2.35:1)	49.0	115.2	124.5	292.5				1.1	CineWhite		
TE138C-E16	138" (2.35:1)	54.0	126.9	137.2	322.3				1.1	CineWhite		
TE153C-E12	153" (2.35:1)	60.0	141.0	152.4	358.1				1.1	CineWhite		

*No black backing

CineTension2 Series, Tension Electric/Motorized Screen with IR/RF and Wall Box

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	Ship via UPS or FedEx	Net Weight (lbs)	Net Weight (kg)	Gain	Screen Material	Top Black Mask	Bottom Black Masking (in.)
TE94XW2	94" (16:10)	49.8	79.7	126.5	202.4	Yes	18.3	8.3	1.1	CineWhite	6"(15.3cm)	2"(5.1cm)
TE116XW2	116" (16:10)	61.5	98.4	156.2	249.9	No	50.3	22.8	1.1	CineWhite	6"(15.3cm)	2"(5.1cm)
TE139XW2	139" (16:10)	73.7	117.9	187.2	299.5	No	53.0	24.0	1.1	CineWhite	6"(15.3cm)	2"(5.1cm)